APPENDIX 7

FAUNA OF REGIONAL SIGNIFICANCE IN BOMADERRY CREEK BUSHLAND

(Compiled by T Barratt with advice from Michael Murphy and contributions by Chris Chafer and Garry Daly)

Common Name	Significance
Platypus	Uncommon near urban areas.
Common Wombat	Rare on coastal lowlands this far north.
Bush Rat	Uncommon species in urban bushland - very sensitive to disturbance.
Burton's Snake-eyed Skink	Uncommon in region.
Diamond Python	Uncommon species throughout its range.
Yellow-faced Whip Snake	Very close to the southern limits of its range.
Green Tree Frog	Uncommon in the Nowra area and close to the southern limits of its range.
Brown Toadlet	At the southern limits of its range - Bomaderry Creek is the only known location of this species in the Shoalhaven City.
New species of Toadlet (Pseudophryne sp.)	Status unknown.
Collared Sparrowhawk	Scarce in the region - very few coastal records in this region.
White-bellied Sea Eagle	Although relatively common on the coast it appears to be declining along the Shoalhaven River.
Marsh Harrier	An uncommon species and undergoing population decline in the region.
Topknot Pigeon	Uncommon in the region.
White-headed Pigeon	Scarce in the region and close to the southern limits of its range.
Common Bronzewing	Uncommon in the region.
Common Koel	Near the southern limits of its range.
Oriental Cuckoo	Rare in the region and near the southern limits of its range.
White-throated Nightjar	Scarce in the region.
Azure Kingfisher	Uncommon in the region and undergoing population decline.
Rainbow Bee-eater	Uncommon in the region and at the southern limit of its distribution on the coast.

Bomaderry Creek Bushland - Draft Plan of Management **Superb Lyrebird** Scarce in urban bushland. **Australian Ground** Uncommon in the region and especially infrequent in coastal forests. **Thrush Rose Robin** Uncommon in the region. **Jacky Winter** Uncommon in the region. **Crested Shrike-tit** Uncommon in the region. Logrunner At the southern limit of its distribution. **Southern Emu-wren** Uncommon in eastern Australia. **Rock Warbler** Near the southern limits of its range and one of the three known coastal occurrences in this region. **Chestnut-rumped** An uncommon species, at the northern limits of its range on the coast and Heathwren undergoing population decline in the region. **Fuscous Honeyeater** Uncommon in the region and its status in eastern Australia is becoming of concern due to an apparent total population decline. Yellow-tufted Honeyeater At the northern limits of its range on the coast - a habitat specific species requiring a particular floristic composition in sandstone environments. Uncommon throughout its range.

Brown-headed Honeyeater region.

Uncommon in the region and undergoing population decline in the

Double-barred Finch Uncommon in the region.

Spangled Drongo Scarce in the region.

T Barratt 14/12/2015 ACF (Shoalhaven) 2