



## BOMADERRY CREEK BUSHCARE ACTION PLAN

### CONTACT INFORMATION

<b>Group Name:</b>	Bomaderry Creek Bushcare Group
<b>Contact:</b>	Terry Barratt
<b>Address:</b>	16 Bunberra Street, Bomaderry 2541
<b>Tel:</b>	4422 1211
<b>Email:</b>	terrybar@sctelco.net.au
<b>Reserve Name:</b>	Bomaderry Creek
<b>Reserve No:</b>	
<b>Land Tenure:</b>	Council and Crown reserve
<b>Comm. Land Type:</b>	

### 1. BUSHCARE GROUP GOALS

To assist land use agencies and private property owners within the Bomaderry Creek bushland to better manage the environmental, cultural and recreational resources of the bushland.


Work involves environmental surveys and assessment, rehabilitation of disturbed bushland involving weed and feral animal control, planting and erosion control, community awareness, education and training.

**2. SHOALHAVEN BUSHCARE GROUP ACTION PLAN (to be included with site map)**

**NOTE: Priority should be rated as H = High (within 12 months); M = Medium (1-3 years); L = Low**

GROUP ACTION	PRIORITY	METHOD	TIME
Expand activities of Bushcare Group in North Nowra Crown reserve sites	H	Use Council sponsored projects as means of getting community involved in environmental awareness of bushland and rehabilitation works	On-going
Mother of Millions eradication at Bomaderry Zieria site – subject to review of environmental factors	H	Hand removal of weeds	12 months
Rehabilitation of Walsh Cres, Glen View & Jamieson Rd Reserves: NNN068, NNN310, NNN084, NNN065, NNN083, NNN081	M	Weed removal, mulching & planting in sites identified in weed report (Bomaderry Creek Bushcare '08). Refer Table 3 for weed species in each reserve	1-5 years
Update Bomaderry Creek Walking Track book	M	Incorporate changes since publication date of 2001	1-2 years
Community awareness, communications and training	M	Assist Council with education projects	On-going

### 3. BUSHCARE GROUP ACTION PLAN MAP



**4. VOLUNTEER ACTIVITIES RELATED TO THE ACTION:**

Type of Activity	Yes	SWMS name included
Manual weed control (cut & paint, scrape and paint etc)	√	SWMS NR060
Chemical control (spraying of herbicides)	√	SWMS NR040
Planting	√	
Minor construction (walking track, fencing, outdoor furniture)	√	
Propagation & seed collection	√	
Education (school groups, field days etc)	√	NA
Assessment of rehabilitation needs	√	

**5. COUNCIL ACTIVITIES RELATED TO THE ACTION PLAN**

- a. Assist with environmental assessment
- b. Provide weed control chemicals & other materials
- c. Carry out weed control beyond group capacity
- d. Provide training & advice
- e. Maintain walking track system

**6. HAS A SITE HAZARD AND RISK ASSESSMENT BEEN COMPLETED FOR THE BUSHCARE SITE?**

Yes √

**7. LIST THE PERSONAL PROTECTION EQUIPMENT REQUIRED FOR VOLUNTEERS WHILST WORKING ON THE SITE**

PPE Equipment Required	Issues	Date
First Aid Kit	Supplied by Group	2003
Gloves	Provided by individuals	
Sunscreen	"	
Insect repellent	"	

**8. POSSIBLE FUTURE FUNDING**

Project	Funding source
Rehabilitation of various sites plus community education	Caring for Country

**9. PLAN WILL BE REVIEWED THREE EVERY THREE YEARS - NEXT REVIEW DUE: APRIL 2013**

**10. PLEASE LIST OTHER LOCAL OR REGIONAL MANAGEMENT PLANS OR STRATEGIES THAT THIS PLAN RELATES TO**

<b>Name of document</b>	<b>Year it was produced</b>	<b>Produced by</b>
Bomaderry Creek Regional Park Weed Management Plan	March 2004	Department of Environment Climate Change and Water
Bomaderry Creek Bushland Draft Plan of Management	2006 (6 <sup>th</sup> edition)	Australian Conservation Foundation (Shoalhaven)
Condition & Management Needs of <i>Zieria baeuerlenii</i>	July 2007	Terry Barratt
Bomaderry Creek Bushland – Weeds of Crown & Council Land	July 2008	Bomaderry Creek Landcare/Bushcare Group
Bomaderry Regional Park Fore Management Strategy	July 2006	Department of Environment Climate Change and Water
Shoalhaven Estuary Management Plan	March 2008	Shoalhaven City Council
Shoalhaven Walking Track Strategy	2010	Shoalhaven City Council

**TABLE 1: Condition of Bushland Colour Code**

<b>COLOUR CODE</b>	<b>CONDITION OF BUSHLAND</b>	<b>DESCRIPTION</b>	<b>INTERVENTION REQUIRED</b>
GREEN	GOOD	Virtually weed free – healthy native community (0-10% weed)	1. Minimal
BLUE	FAIR	Minor infestation of weeds (10-30%weed)	2. Low
ORANGE	POOR	Severely infested – regeneration of native species being suppressed (30-70% weed)	3. Medium
RED	VERY POOR	Bushland replaced by exotic species OR only mature specimens of highest stratum remain – no seedlings or saplings due to infestation by exotics (70-100% weed)	4. Medium or High

**TABLE 2: Degree of Intervention Required**

<b>LEVEL OF INTERVENTION</b>	<b>DESCRIPTION</b>
Minimal (Green) Level 1	Resilience high. Removal of scattered weed & prevention of future impacts may be required
Low (Blue) Level 2	Resilience high to medium. Removal of scattered weed and active management of impacts required
Medium (Orange) Level 3	Resilience impaired but existent. Removal of weeds and removal of impacts required
High (Red) Level 4	Resilience low or seriously limited – may need reconstruction, fabrication or reinstatement to approximate the original ecosystem

**TABLE 3: WEED SPECIES OF WALSH CRESCENT, GLEN VIEW & JAMIESON ROAD RESERVES**

<b>WALSH CRESCENT- GLEN VIEW RESERVES</b>				
Reserve	Walsh Cres, Nth Nowra	Asparagus Fern ( <i>Protasparagus aethiopicus</i> )		
NNN068		Bindii ( <i>Soliva sessilis</i> )		
		Black-eyed Susan ( <i>Thunbergia alata</i> )		
		Cassia ( <i>Senna pendula</i> var. <i>glabrata</i> )		
		Cobblers Peg ( <i>Bidens pilosa</i> )		
		Common Couch ( <i>Cynodon dactylon</i> )		
		Common Vetch ( <i>Vicia sativa</i> subsp. <i>sativa</i> )		
		Coral Tree ( <i>Erythrina X sykesii</i> )		
		<i>Crassula multicava</i>		
		Fireweed ( <i>Senecio madagacariensis</i> )		
		Fishbone Fern ( <i>Nephrolepis cordifolia</i> )		
		Flatweed ( <i>Hypochaeris radicata</i> )		
		Flaxleaf Fleabane ( <i>Conyza bonariensis</i> )	Very highly disturbed over most of area	Red
		Fruit Salad Plant ( <i>Monstera deliciosa</i> )		
		Giant Parramatta Grass ( <i>Sporobolus fertilis</i> )		
		Japanese Honeysuckle ( <i>Lonicera japonica</i> )		
		Jasmine ( <i>Jasminum polyanthemum</i> )		
		Kikuyu ( <i>Pennisetum clandestinum</i> )		
		Lambs Tongue ( <i>Plantago lanceolata</i> )		
		Lantana ( <i>Lantana camara</i> )		
		Large-leaved Privet ( <i>Ligustrum lucidum</i> )		
		Montbretia ( <i>Crocasmia x crocosmiiflora</i> )		
		Moth Plant ( <i>Araujia hortorum</i> )		
		Mother of Millions ( <i>Bryophyllum delagoense</i> )		
		Mouse-eared Chickweed ( <i>Cerastium glomeratum</i> )		
		Narrow-leaved Vetch ( <i>Vicia sativa</i> subsp. <i>angustifolia</i> )		
		Nasturtium ( <i>Tropaeolum majus</i> )		
		Norfolk Island Pine ( <i>Araucaria heterophylla</i> )		
		Paddys Lucerne ( <i>Sida rhombifolia</i> )		

		Pennywort ( <i>Hydrocotyle bonariensis</i> )		
		Prickly Pear ( <i>Opuntia vulgaris</i> )	NSW noxious weed	
		Purple-top ( <i>Verbena bonariensis</i> )		
		Small-leaved Privet ( <i>Ligustrum sinense</i> )		
		Trad ( <i>Tradescantia albiflora</i> )		
		Tree Tobacco ( <i>Nicotiana glauca</i> )		
		Turkey Rhubarb ( <i>Acetosa sagitta</i> )		
		Vasey Grass ( <i>Paspalum urvillei</i> )		
		Wall Fumitory ( <i>Fumaria muralis</i> )		
Reserve NNN310	Walsh Cres, Nth Nowra	Agapanthus ( <i>Agapanthus orientalis</i> )		Red
		Asparagus Fern ( <i>Asparagus densifomas</i> )		
		Black-eyed Susan ( <i>Thunbergia alata</i> )		
		Camphor Laurel ( <i>Cinnamomum camphora</i> )		
		Cassia ( <i>Senna pendula</i> var. <i>glabrata</i> )		
		Cobblers Peg ( <i>Bidens pilosa</i> )	Very highly disturbed	Red
		Fishbone Fern ( <i>Nephrolepis cordifolia</i> )		
		Fruit Salad Plant ( <i>Monstera deliciosa</i> )		
		Jacaranda ( <i>Jacaranda mimosifolia</i> )		
		Large-leaved Privet ( <i>Ligustrum lucidum</i> )		
		Mickey Mouse Plant ( <i>Ochna serrulata</i> )		
		Mother of Millions ( <i>Bryophyllum delagoense</i> )		
		Nasturtium ( <i>Tropaeolum majus</i> )		
		Sacred Bamboo ( <i>Nandina domestica</i> )		
		Small-leaved Privet ( <i>Ligustrum sinense</i> )		
		Trad ( <i>Tradescantia albiflora</i> )		
		Tree Tobacco ( <i>Nicotiana glauca</i> )		
Reserve NNN084	Walsh Cres, Nth Nowra	Asparagus Fern ( <i>Asparagus densifomas</i> )		
		Camphor Laurel ( <i>Cinnamomum camphora</i> )		
		Cassia ( <i>Senna pendula</i> var. <i>glabrata</i> )		
		Cobblers Peg ( <i>Bidens pilosa</i> )		
		Common Olive ( <i>Olea europea</i> subsp. <i>africana</i> )		
		<i>Crassula multicava</i>		



		English Ivy ( <i>Hedera helix</i> )		
		Fishbone Fern ( <i>Nephrolepis cordifolia</i> )		
		Flaxleaf Fleabane ( <i>Conyza bonariensis</i> )	Highly disturbed	Orange
		Fruit Salad Plant ( <i>Monstera deliciosa</i> )		
		Giant Reed ( <i>Arundo donax</i> )		
		Jasmine ( <i>Jasminum polyanthum</i> )		
		Lambs Tongue ( <i>Plantago lanceolata</i> )		
		Lantana ( <i>Lantana camara</i> )		
		Large-leaved Privet ( <i>Ligustrum lucidum</i> )		
		Mist Flower ( <i>Ageratina riparia</i> )		
		Mother of Millions ( <i>Bryophyllum delagoense</i> )		
		Paddys Lucerne ( <i>Sida rhombifolia</i> )		
		Pennywort ( <i>Hydrocotyle bonariensis</i> )		
		<i>Plectranthus verticillatus</i>		
		Small-leaved Privet ( <i>Ligustrum sinense</i> )		
		Trad ( <i>Tradescantia albiflora</i> )		
Reserve	Walsh Cres & Phillip	Asparagus Fern ( <i>Asparagus densifomas</i> )		
NNN065	Drive, Nth Nowra	Cobblers Peg ( <i>Bidens pilosa</i> )	Highly disturbed	Orange
		Fireweed ( <i>Senecio madagacariensis</i> )		
		Lambs Tongue ( <i>Plantago lanceolata</i> )		
		Lantana ( <i>Lantana camara</i> )		
		Large-leaved Privet ( <i>Ligustrum lucidum</i> )		
		Mickey Mouse Plant ( <i>Ochna serrulata</i> )		
		Mother of Millions ( <i>Bryophyllum delagoense</i> )		
		Pennywort ( <i>Hydrocotyle bonariensis</i> )		
		Tree Tobacco ( <i>Nicotiana glauca</i> )		
Reserve	Glen View & Jamieson	Cassia ( <i>Senna pendula</i> var. <i>glabrata</i> )		
NNN083	Road, Nth Nowra	Fireweed ( <i>Senecio madagacariensis</i> )		
		Fishbone Fern ( <i>Nephrolepis cordifolia</i> )		
		Fruit Salad Plant ( <i>Monstera deliciosa</i> )		
		Ginger Lily ( <i>Hedychium gardnerianum</i> )		
		Lambs Tongue ( <i>Plantago lanceolata</i> )		

		Lantana ( <i>Lantana camara</i> )		
		Paddys Lucerne ( <i>Sida rhombifolia</i> )	Very highly disturbed	Red &
		<i>Plectranthus verticillatus</i>		Orange
		Sacred Bamboo ( <i>Nandina domestica</i> )		
		Small-leaved Privet ( <i>Ligustrum sinense</i> )		
		Trad ( <i>Tradescantia albiflora</i> )		
		Tree Tobacco ( <i>Nicotiana glauca</i> )		

### MAHOGANY CREEK RESERVE (east from Illaroo Road)

Reserve	Jamieson Rd, Warren	Asparagus Fern ( <i>Asparagus densifomas</i> )		
NNN081	Ave & Uranna Ave, Nth	Black Mulberry ( <i>Morus nigra</i> )		
	Nowra	Black-eyed Susan ( <i>Thunbergia alata</i> )		
		Camphor Laurel ( <i>Cinnamomum camphora</i> )		
		Cobblers Peg ( <i>Bidens pilosa</i> )		
		Coreopsis ( <i>Coreopsis comosum</i> )	Highly disturbed behind Jamieson Road residences	Red,
		Crofton Weed ( <i>Ageratina adenophora</i> )		Orange,
		Crucifix Orchid ( <i>Epidendrum radicans</i> )		Blue &
		English Ivy ( <i>Hedera helix</i> )		Green
		Fishbone Fern ( <i>Nephrolepis cordifolia</i> )		
		Fruit Salad Plant ( <i>Monstera deliciosa</i> )		
		Giant Reed ( <i>Arundo donax</i> )		
		Jacaranda ( <i>Jacaranda mimosifolia</i> )		
		Japanese Honeysuckle ( <i>Lonicera japonica</i> )		
		Japanese Wisteria ( <i>Wisteria floribunda</i> )		
		Jasmine ( <i>Jasminum polyanthemum</i> )		
		Lantana ( <i>Lantana camara</i> )		
		Large-leaved Privet ( <i>Ligustrum lucidum</i> )		
		Montbrecia ( <i>Crocasmia x crocosmiiflora</i> )		
		Moth Plant ( <i>Araujia hortorum</i> )		
		Mother of Millions ( <i>Bryophyllum delagoense</i> )	Extensive infestation behind 21 & 23 Jamieson Road	
		Narrow-leaved Privet ( <i>Ligustrum sinense</i> )		
		Paddys Lucerne ( <i>Sida rhombifolia</i> )		
		<i>Plectranthus verticillatus</i>		

		Sacred Bamboo ( <i>Nandina domestica</i> )		
		Spider Plant ( <i>Chlorophytum comosum</i> )		
		Stonecrop ( <i>Sedum dendroideum</i> )		
		Tree Tobacco ( <i>Nicotiana glauca</i> )		
		Umbrella Tree ( <i>Schefflera actinophylla</i> )		
		Vasey Grass ( <i>Paspalum urvillei</i> )		
		Whiskey Grass ( <i>Andropogon virginicus</i> )		
		Asparagus Fern ( <i>Protasparagus aethiopicus</i> )		

**ATTACHMENT: Group support and skill development needs.** This information helps to identify gaps that may exist between what the group require to function effectively and what the group has available. **This focuses on the group, overall, not individual members.**

<i>Tick one box only</i>	We are absolute beginners – don't know a great deal	We know a bit – enough to get by most of the time	We know quite a lot – and we know when to seek help	There's probably not much more we can learn on this	Comments
OH&S – develop and follow risk assessment		√			
Develop and/ or monitor Action Plan		√			
Plant identification – indigenous plants		√			
Weed identification & control methods		√			
Bush regeneration methods		√			
Seed collection & propagation		√			
Group planning and decision making		√			
Managing neighbour relations		√			
Community education – schools, neighbours etc		√			
Volunteer/ group member recruitment		√			
Preparing grant applications		√			

<b>List below the 10 most common plants that are indigenous to the area.</b>	<b>List below the 10 most common plants that are <i>not</i> indigenous to the area.</b>
Grey Gum, Blue-leaved Stringybark, Red Bloodwood, Spotted Gum, Coachwood, Nowra Teatree, White-flowered Kunzia, Lomandra confertifolia, Grey Myrtle, Water Gum	Kikuyu, Lantana, Morning Glory, Mother of Millions, Large-leaved privet, Tradescantia, Giant Parramatta Grass, Paddys Lucerne, Cape Ivy, Cobblers Peg
Can all of the group regular volunteers identify these? <b>YES (NO)</b> circle one	Can all of the group regular volunteers identify these? <b>YES (NO)</b> circle one

**Bushcare Group Name:** Bomaderry Creek

**Coordinator Name:** Terry Barratt

**Signature:** *T Barratt*

**Date** 30/07/08

**PLANTS OF BOMADERRY CREEK BUSHLAND - Terry Barratt**

CLASS	FAMILY	BOTANICAL NAME	COMMON NAME
<b>SEEDLESS PLANTS</b>			
Psilopsida (Fork Ferns)	Psilotaceae	<i>Psilotum nudum</i>	Skeleton Fork Fern
Lycopsida	Selaginellaceae	<i>Selaginella uliginosa</i>	
Filicopsida (Ferns)	Adiantaceae	<i>Adiantum aethiopicum</i> <i>Adiantum formosum</i>	Common Maidenhair Fern Giant Maidenhair Fern
Maidenhair			<i>Adiantum hispidulum</i> Rough
	Aspleniaceae	<i>Asplenium flabellifolium</i>	Necklace Fern
	Blechnaceae	<i>Blechnum ambiguum</i> <i>Blechnum cartilagineum</i> <i>Blechnum nudum</i> <i>Blechnum minus</i> <i>Doodia aspera</i>	Gristle Fern Fishbone Water Fern Soft Water Fern Rasp Fern
	Cyatheaceae	<i>Cyathea australis</i>	Rough Tree-fern
	Davalliaceae	<i>Davallia pyxidata</i> <i>*Nephrolepis cordifolia</i>	Hare's Foot Fern Fishbone Fern

Dennstaedtiaceae	<i>Pteridium esculentum</i>	Bracken
Dicksoniaceae	<i>Calochlaena dubia</i>	Common Ground Fern
Gleicheniaceae	<i>Gleichenia dicarpa</i> <i>Sticherus flabellatus</i>	Bead Fern Umbrella Fern
Hymenophyllaceae		<i>Hymenophyllum cupressiforme</i> Filmy Fern
Lindsaeaceae	<i>Lindsaea linearis</i> <i>Lindsaea microphylla</i>	Screw Fern Lacy Wedge Fern
Osmundaceae	<i>Todea barbara</i>	King Fern
Polypodiaceae	<i>Pyrrrosia rupestris</i>	Rock Felt-fern
Pteridaceae	<i>Pteris tremula</i>	Tender Brake
Schizaeaceae	<i>Schizaea bifida</i>	Comb Fern
Sinopteridaceae	<i>Cheilanthes sieberi</i> <i>Pellaea falcata</i> var <i>falcata</i>	Rock Fern Sickle Fern
Thelypteridaceae	<i>Christella dentata</i>	

---

## SEED PLANTS

### Cycadopsida

(Cycads)	Zamiaceae	<i>Macrozamia communis</i>	Burrawang
Coniferopsida (Conifers)	Araucariaceae	* <i>Araucaria heterophylla</i>	Norfolk Island Pine
	Cupressaceae	<i>Callitris</i> sp.	
Magnoliopsida (Flowering Plants)			
Subclass: Magnoliidae (Dicotyledons)			
	Acanthaceae	* <i>Thumbergia alata</i>	Black-eyed Susan
		<i>Pseuderanthemum variabile</i>	Pastel Flower
	Alliaceae	* <i>Agapanthus orientalis</i>	Agapanthus
	Anacardiaceae	* <i>Toxicodendron succedaneum</i>	Rhus Tree
	Anthericeae	* <i>Chlorophytum comosum</i>	Spider Plant
	Apiaceae	<i>Actinotus helianthi</i>	Flannel Flower
		<i>Actinotus minor</i>	Minor Flannel Flower
		<i>Centella asiatica</i>	Pennywort
		* <i>Hydrocotyle bonariensis</i>	Pennywort
		* <i>Hydrocotyle pedicellosa</i>	
<i>Platysace lanceolata</i> <i>Platysace linearifolia</i>			
Apocynaceae	* <i>Araujia hortorum</i>	Moth Plant	
	* <i>Gomphocarpus fruiticosus</i>	Narrow-leaved Cotton Bush	
	<i>Parsonsia straminea</i>	Common Silk Pod	
	* <i>Vinca major</i>	Periwinkle	



Araceae	<i>*Monstera deliciosa</i>	Fruit Salad Plant
Araliaceae	<i>*Schefflera actinophylla</i>	Umbrella Tree
	<i>*Hedera helix</i>	English Ivy
Asclepiadaceae	<i>*Araujia hortorum</i>	Moth Plant
	<i>Marsdenia rostrata</i>	Common Milk Vine
	<i>Marsdenia suaveolens</i>	Sweet-scented Milk Vine
	<i>Tylophora barbata</i>	Bearded Tylophora
Asteraceae	<i>*Ageratina adenophora</i>	Crofton Weed
	<i>*Ageratina riparia</i>	Mistflower
	<i>*Bidens pilosa</i>	Cobblers Peg
	<i>*Bidens tripartite</i>	Burr Marigold
	<i>Cassinia aculeata</i>	Cauliflower Bush
	<i>*Chrysanthemum coronarium</i>	Summer Chrysanthemum
	<i>*Cirsium vulgare</i>	Spear Thistle
	<i>*Conyza bonariensis</i>	Flaxleaf Fleabane
	<i>*Coreopsis lanceolata</i>	Coreopsis
	<i>*Crassocephalum crepidioides</i>	Thickhead
	<i>*Delairea odorata</i>	Cape Ivy
	<i>Gnaphalium sphaericum</i>	Cudweed
	<i>Helichrysum elatum</i>	White Paper Daisy
	<i>*Hypochoeris radicata</i>	Flatweed
	<i>Olearia microphylla</i>	
	<i>Olearia tomentosa</i>	
<i>Olearia viscidula</i>	Sticky Daisybush	
<i>*Onopordum acanthium</i>	Scotch Thistle	
<i>*Osteospermum ecklonis</i>	White Veldt Daisy	

	<i>Ozothamnus diosmifolius</i>	White Dogwood
	<i>Senecio linearifolius</i>	
	* <i>Senecio madagascariensis</i>	Fireweed
	* <i>Senecio tamoides</i>	Climbing Groundsel
	* <i>Soliva sessilis</i>	Bindyi
	* <i>Targetes minuta</i>	Stinking Roger
	* <i>Xanthium orientale</i>	Californian Burr
Balsaminaceae	* <i>Impatiens walleriana</i>	Balsam
Basellaceae	* <i>Anredera cordifolia</i>	Madeira Vine
Bignoniaceae	<i>Pandorea pandorana</i>	Wonga Wonga Vine
	* <i>Tarcaranda mimosifolia</i>	Jacaranda
	* <i>Tecoma capensis</i>	Cape Honeysuckle
Brassicaceae	* <i>Cardamine hirsute</i>	Common Bittercress
Cactaceae	* <i>Opuntia vulgaris</i>	Prickly Pear
Campanulaceae	<i>Wahlenbergia gracilis</i>	Native Bluebell
Caprifoliaceae	* <i>Lonicera japonica</i>	Japanese Honeysuckle
	* <i>Cerastium fomeratum</i>	Mouse-eared Chickweed
Caryophyllaceae	<i>Stellaria flaccida</i>	Starwort
Casuarinaceae	<i>Allocasuarina distyla</i>	
	<i>Allocasuarina littoralis</i>	Black Oak
	<i>Casuarina cunninghamiana</i>	River Oak

Chenopodiaceae	<i>Einardia hastata</i>	Berry Saltbush
Chloanthaceae	<i>Chloanthes stoechadis</i>	Ice Flower
Clusiaceae	<i>Hypericum gramineum</i>	Small St John's Wort
Convolvulaceae	<i>Dichondra repens</i> * <i>Ipomoea purpurea</i> * <i>Ipomoea cairica</i>	Kidney Weed Morning Glory
Crassulaceae	* <i>Bryophyllum delagoense</i> * <i>Crassula multicava</i> * <i>Crassula sarmentosa</i> * <i>Crassula tetragona</i> * <i>Sedum dendroideum</i>	Mother-of-millions    Stonecrop
Cucurbitaceae	* <i>Sechium edule</i>	<i>Choko</i>
Cunoniaceae	<i>Ceratopetalum apetalum</i> <i>Ceratopetalum gummiferum</i>	Coachwood Christmas Bush
Dilleniaceae	<i>Hibbertia aspera</i> <i>Hibbertia circumdans</i> <i>Hibbertia dentata</i> <i>Hibbertia monogyna</i> <i>Hibbertia riparia</i> <i>Hibbertia scandens</i> <i>Hibbertia empetrifolia</i>	Guinea Flower Guinea Flower Twining Guinea Flower Guinea Flower Guinea Flower Snake Vine Guinea Flower

Droseraceae	<i>Drosera auriculata</i>	Sundew
	<i>Drosera spathulata</i>	Sundew
	<i>Drosera pigmaea</i>	Sundew
Ebenaceae	<i>Diospyros australis</i>	Black Plum
Elaeocarpaceae	<i>Elaeocarpus reticulatus</i>	Blueberry Ash
Epacridaceae	<i>Astroloma humisifusum</i>	Native Cranberry
	<i>Brachyloma daphnoides</i>	Daphne Heath
	<i>Epacris microphylla</i>	Coral Heath
	<i>Epacris pulchella</i>	
	<i>Leucopogon attenuatus</i>	
	<i>Leucopogon ericoides</i>	White Beard Heath
	<i>Leucopogon juniperinus</i>	
	<i>Leucopogon lanceolatus</i>	Native Bearded Heath
	<i>Leucopogon neo-anglicus</i>	
	<i>Lissanthe strigosa</i>	Peach Heath
Euphorbiaceae	<i>Styphelia triflora</i>	Five Corners
	<i>Amperea xiphoclada</i>	
	<i>Breynia oblongifolia</i>	Coffee Bush
	<i>Claoxylon australe</i>	Brittlewood
	<i>Glochidion ferdinandi</i>	Cheese Tree
	<i>Micrantheum ericoides</i>	
	<i>Omolanthus populifolius</i>	Native Poplar
	<i>Phyllanthus gasstroemii</i>	
	<i>Phyllanthus hirtellus</i>	Thyme Spurge
	<i>Poranthera corymbosa</i>	
	* <i>Ricinus communis</i>	Castor Oil Plant

Eupomatiaceae	<i>Eupomatia laurina</i>	Native Guava; Bolwarra
Fabaceae		
Subfamily:		
Caesalpinioideae		* <i>Senna pendula</i> var. <i>glabrata</i>
Subfamily:		
Faboidea		
	<i>Aotus ericoides</i>	
	<i>Bossiaea ensata</i>	Egg and Bacon
	<i>Bossiaea heterophylla</i>	Egg and Bacon
	<i>Bossiaea obcordata</i>	Egg and Bacon
	<i>Daviesia acicularis</i>	Bitter Pea
	<i>Daviesia alata</i>	Bitter Pea
	<i>Daviesia ulicifolia</i>	Gorze Bitter Pea
	<i>Dillwynia ramosissima</i>	Parrot Pea
	* <i>Erythrina x sykesii</i>	Coral Tree
	<i>Glycine clandestina</i>	Twining Glycine
	<i>Glycine tabacina</i>	
	<i>Gompholobium glabratum</i>	Dainty Wedge Pea
	<i>Gompholobium grandiflorum</i>	Large Wedge Pea
	<i>Gompholobium pinnatum</i>	Pinnate Wedge Pea
	<i>Goodia lotifolia</i>	
	<i>Hardenbergia violacea</i>	Purple Coral Pea
	<i>Hovea linearis</i>	
	<i>Hovea longifolia</i>	Rusty Pods
	<i>Kennedia rubicunda</i>	Dusky Coral Pea
	<i>Mirbelia rubiifolia</i>	
	<i>Oxylobium cordifolium</i>	Heart-leaved Shaggy Pea
	<i>Oxylobium illicifolium</i>	Prickly Shaggy Pea
	<i>Phyllota phyllicoides</i>	Heath Phyllota

	<i>Platylobium formosum</i>	Handsome Flat Pea
	<i>Pultenaea blakelyi</i>	Bush Pea
	<i>Pultenaea daphnoides</i>	Bush Pea
	<i>Pultenaea elliptica</i>	Bush Pea
	<i>Pultenaea linophylla</i>	Bush Pea
	<i>Pultenaea villosa</i>	Bush Pea
	<i>Viminaria juncea</i>	Golden Spray
	* <i>Vicia sativa</i> subsp. <i>angustifolia</i>	Narrow-leaved Vetch
	* <i>Vicia sativa</i> subsp. <i>sativa</i>	Common Vetch
	* <i>Wisteria floribunda</i>	Japanese Wisteria
Subfamily:		
Mimosoideae	* <i>Acacia baileyana</i>	Cootamundra Wattle
	<i>Acacia binervata</i>	Two-veined Hickory
	<i>Acacia deanei</i>	Green Wattle
	<i>Acacia falcata</i>	
	<i>Acacia floribunda</i>	White Sally
	<i>Acacia irrorata</i>	Green Wattle
	<i>Acacia longifolia</i>	Sydney Golden Wattle
	<i>Acacia mearnsii</i>	Black Wattle
	<i>Acacia myrtifolia</i>	Red Stem Wattle
	* <i>Acacia podalyriifolia</i>	Q/land Silver Wattle
	<i>Acacia suaveolens</i>	Sweet-scented Wattle
	<i>Acacia subtilinervis</i> <sup>2</sup>	Many-veined Wattle
	<i>Acacia terminalis</i>	Sunshine Wattle
	<i>Acacia ulicifolia</i>	Prickly Moses
	* <i>Albizia lophantha</i>	Caped Wattle
Fumariaceae	* <i>Fumaria muralis</i>	Wall Fumitory
Gentianaceae	* <i>Centaurium erythraea</i>	Common Centaury

<b>Geraniaceae</b>	<b><i>Geranium potentilloides</i></b>	<b>Native Geranium</b>
<b>Goodeniaceae</b>	<b><i>Dampiera stricta</i></b> <b><i>Dampiera scottiana</i><sup>2</sup></b> <b><i>Goodenia paniculata</i></b> <b><i>Goodenia hederacea</i></b> <b><i>Goodenia heterophylla</i></b> <b><i>Scaevola ramosissima</i></b>	<b>Fan Flower</b>
<b>Haloragaceae</b>	<b><i>Gonocarpus micranthus</i></b> <b><i>Gonocarpus tetragynus</i></b> <b><i>Gonocarpus teucroides</i></b> <b><i>Haloragis sp</i></b>	<b>Raspwort</b>
<b>Hyacinthaceae</b>	<b>*<i>Ornithogalum longibracteatum</i></b>	<b>Pregnant Onion</b>
<b>Lamiaceae</b>	<b><i>Clerodendrum tomentosum</i></b> <b><i>Plectranthus parviflorus</i></b> <b>*<i>Plectranthus neochilus</i></b> <b>*<i>Plectranthus verticillatus</i></b> <b><i>Prostranthera incana</i></b> <b>*<i>Salvia sp.</i></b>	<b>Hairy Clerodendrum</b> <b>Cockspur</b>  <b>Velvet Mintbush</b>
<b>Lauraceae</b>	<b><i>Cassytha glabella</i></b> <b><i>Cassytha pubescens</i></b> <b>*<i>Cinnamomum camphora</i></b> <b><i>Cryptocaria glaucescens</i></b> <b><i>Endiandra sieberi</i></b> <b><i>Litsea reticulata</i></b>	<b>Devil's Twine</b> <b>Devil's Twine</b> <b>Camphor Laurel</b> <b>Jackwood</b> <b>Hard Corkwood</b> <b>Bolly Gum</b>

Lentibulariaceae	<i>Utricularia uliginosa</i>	Asian Bladderwort
Linaceae	* <i>Linum trigynum</i>	French Flax
Lobeliaceae	<i>Lobelia dentata</i> <i>Pratia purpurascens</i> <i>Isotoma axillaris</i>	Whiteroot Rock Isotoma
Loganiaceae	<i>Mitrasacme polymorpha</i>	
Loranthaceae	<i>Amyema congener</i> <i>Dendrophthoe vitellina</i>	Mistletoe Mistletoe
Malaceae	* <i>Pyracantha angustifolia</i>	Firethorn
Malvaceae	* <i>Sida rhombifolia</i>	Paddy's Lucerne
Meliaceae	<i>Synoum glandulosum</i> <i>Toona ciliata</i>	Scentless Rosewood Red Cedar
Menispermaceae	<i>Stephania japonica</i> var. <i>discolor</i>	Snake Vine
Monimiaceae	<i>Wilkiea huegeliana</i>	Veiny Wilkiea
Moraceae	<i>Ficus coronata</i> <i>Ficus rubiginosa</i> <i>Ficus superba</i> var. <i>henneana</i> <i>Malaisia scandens</i> * <i>Morus nigra</i>	Sandpaper Fig Port Jackson Fig Deciduous Fig Burny Vine Black Mulberry



<b>Myrsinaceae</b>	<b>*<i>Ardisia crenata</i></b>	<b>Coral Berry</b>
	<b><i>Myrsine variabilis</i></b>	<b>Muttonwood</b>
	<b><i>Myrsine howittiana</i></b>	<b>Brush Muttonwood</b>
<b>Myrtaceae</b>	<b><i>Acmena smithii</i></b>	<b>Lilly Pilly</b>
	<b><i>Angophora floribunda</i></b>	<b>Rough-barked Apple</b>
	<b><i>Backhousia myrtifolia</i></b>	<b>Ironwood; Grey Myrtle</b>
	<b><i>Baeckea brevifolia</i></b>	
	<b><i>Baeckea diosmifolia</i></b>	<b>Heath Myrtle</b>
	<b><i>Baeckea virgata</i></b>	<b>Twiggy Heath Myrtle</b>
	<b><i>Callistemon linearis</i></b>	<b>Narrow-leaved Bottlebrush</b>
	<b><i>Callistemon rigida</i></b>	<b>Stiff Bottlebrush</b>
	<b><i>Calytrix tetragona</i></b>	<b>Common Fringe Myrtle</b>
	<b><i>Corymbia gummifera</i></b>	<b>Red Bloodwood</b>
	<b><i>Corymbia maculata</i></b>	<b>Spotted Gum</b>
	<b><i>Eucalyptus agglomerata</i></b>	<b>Blue-leaved Stringybark</b>
	<b><i>Eucalyptus capitellata</i></b>	<b>Brown Stringybark</b>
	<b><i>Eucalyptus consideniana</i></b>	<b>Yertchuk</b>
	<b><i>Eucalyptus globoidea</i></b>	<b>White Stringybark</b>
	<b><i>Eucalyptus imitans</i><sup>□</sup></b>	
	<b><i>Eucalyptus langleyi</i><sup>#</sup></b>	<b>Nowra Mallee</b>
	<b><i>Eucalyptus piperita</i></b>	<b>Sydney Peppermint</b>
	<b><i>Eucalyptus punctata</i></b>	<b>Grey Gum</b>
	<b><i>Eucalyptus robusta</i></b>	<b>Swamp Mahogany</b>
<b><i>Eucalyptus saligna</i></b>	<b>Sydney Blue Gum</b>	
<b><i>Eucalyptus saligna</i> x <i>botryoides</i></b>		
<b><i>Eucalyptus scias</i></b>	<b>Large-fruited Red</b>	

	subsp. <i>callimastha</i>	Mahogany
	<i>Eucalyptus sclerophylla</i>	Hard-leaved Scribbly Gum
	<i>Kunzea ambigua</i>	White Kunzea
	<i>Kunzea capitata</i>	Pink Buttons
	<i>Leptospermum arachnoides</i>	
	<i>Leptospermum juniperinum</i>	Prickly Tea Tree
	<i>Leptospermum polygalifolium</i>	Yellow Tea Tree
	<i>Leptospermum rotundifolium</i>	
	<i>Leptospermum sejunctum</i> <sup>a</sup>	Nowra Teatree
	<i>Leptospermum parvifolium</i>	
	<i>Leptospermum trinervium</i>	
	<i>Melaleuca ericifolia</i>	Swamp Paperbark
	<i>Melaleuca hypericifolia</i>	Hairy Net Bush
	<i>Melaleuca linariifolia</i>	Snowstorm
	<i>Melaleuca styphelioides</i>	Prickly-leaved Paperbark
	<i>Melaleuca thymifolia</i>	Thyme Honey Myrtle
	<i>Micromyrtus ciliata</i>	
	<i>Rhodamnia rubescens</i>	Scrub Turpentine
	<i>Syncarpia glomulifera</i>	Turpentine
	<i>Tristaniopsis collina</i>	Mountain Water Gum
	<i>Tristaniopsis laurina</i>	Water Gum
Nandinaceae	* <i>Nandina domestica</i>	Sacred Bamboo
Ochnaceae	* <i>Ochna serrulata</i>	Mickey Mouse Bush
Oleaceae	* <i>Jasminum polyanthemum</i>	Jasmine
	* <i>Ligustrum lucidum</i>	Large-leaved Privet
	* <i>Ligustrum sinense</i>	Small-leaved Privet
	<i>Notelaea longifolia</i>	Large Mock-olive
	<i>Notelaea venosa</i>	Veined Mock-olive

		<b>*<i>Olea europea</i> subsp.<i>africana</i></b>	<b>Common Olive</b>		
	<b>Onagraceae</b>	<b>*<i>Epilobium ciliatum</i></b>	<b>Willowherb</b>		
	<b>Passifloraceae</b>	<b><i>Passiflora cinnabarina</i></b>	<b>Crimson Passionflower</b>		
		<b>*<i>Passiflora edulis</i></b>	<b>Common Passionfruit</b>		
		<b><i>Passiflora herbertiana</i></b>	<b>Native Passionfruit</b>		
	<b>Peperomiaceae</b>	<b><i>Peperomia tretraphylla</i></b>			
	<b>Phytolaccaceae</b>	<b>*<i>Phytolacca octandra</i></b>	<b>Ink Weed</b>		
	<b>Pittosporaceae</b>	<b><i>Billardiera scandens</i></b>	<b>Apple Dumpling</b>		
		<b><i>Bursaria lasiophylla</i></b>			
		<b>var.<i>atriplicina</i></b>	<b>Blackthorn</b>		
		<b><i>Pittosporum revolutum</i></b>	<b>Hairy Pittosporum</b>		
		<b><i>Pittosporum undulatum</i></b>	<b>Sweet Pittosporum</b>		
	<b>Plantaginaceae</b>	<b>*<i>Plantago lanceolata</i></b>	<b>Lamb's Tongue</b>		
	<b>Portulacaceae</b>	<b>*<i>Talinum paniculatum</i></b>			
<b>Creeper</b>	<b>Polygalaceae</b>	<b><i>Comesperma ericinum</i></b>	<b>Match Head</b>	<b><i>Comesperma volubile</i></b>	<b>Love</b>
	<b>Polygonaceae</b>	<b>*<i>Acetosa sagittata</i></b>	<b>Turkey Rhubarb</b>		
		<b><i>Persicaria hydropiper</i></b>	<b>Water Pepper</b>		
		<b><i>Persicaria orientalis</i></b>	<b>Princes Feathers</b>		
		<b><i>Persicaria praetermissa</i></b>	<b>Smartweed</b>		
		<b><i>Persicaria strigose</i></b>	<b>Smartweed</b>		
		<b>*<i>Rumex crispus</i></b>	<b>Curled Dock</b>		

	<i>*Rumex pulcher</i>	Fiddle Dock
Proteaceae	<i>Banksia ericifolia</i>	Heath-leaved Banksia
	<i>Banksia paludosa</i>	Swamp Banksia
	<i>Banksia serrata</i>	Old Man Banksia
	<i>Banksia spinulosa</i>	Spine-leaf Banksia
	<i>Conospermum longifolium</i>	
	subsp. <i>mediale</i>	Cone Seeds
	<i>Conospermum tenuifolium</i>	Cone Seeds
	<i>Grevillea arenaria</i>	
	<i>Grevillea linearifolia</i>	
	<i>*Grevillea robusta</i>	Silky Oak
	<i>Hakea dactyloides</i>	
	<i>Hakea salicifolia</i>	Willow-leaved Hakea
	<i>Hakea sericea</i>	Needle Bush
	<i>Isopogon anemonifolius</i>	Drumsticks
	<i>Lambertia formosa</i>	Mountain Devil
	<i>Lomatia ilicifolia</i>	Holly Lomatia
	<i>Persoonia levis</i>	Broad-leaved Geebung
	<i>Persoonia linearis</i>	Narrow-leaved Geebung
	<i>Persoonia mollis</i>	Soft-leaved Geebung
	<i>Petrophile pedunculata</i>	Conesticks
	<i>Petrophile pulchella</i>	Conesticks
	<i>Stenocarpus salignus</i>	Scrub Beefwood
	<i>Telopea speciosissima</i>	Waratah
Ranunculaceae	<i>Clematis aristata</i>	Travellers Joy
Rhamnaceae	<i>Alphitonia excelsa</i>	Red Ash
	<i>Pomaderris intermedia</i>	

Ripogonaceae	<i>Ripogonum album</i>	White Supplejack
Rosaceae	<i>Rubus hillii</i> <i>Rubus parvifolius</i> * <i>Rubus discolor</i>	Wild Raspberry Native Bramble Blackberry
Rubiaceae	<i>Melicope micrococca</i> <i>Morinda jasminoides</i> <i>Opercularia varia</i> <i>Opercularia aspera</i> <i>Pomax umbellata</i> <i>Psychotria loniceroides</i>	White Euodia Sweet Morinda Variable Stinkweed Coarse Stinkweed  Hairy Psychotria
Rutaceae	<i>Correa reflexa</i> <i>Crowea exalata</i> <i>Phebalium squamulosum</i> subsp. <i>squamulosum</i> <i>Philotheca salsolifolia</i> <i>Zieria baeuerlenii</i> <sup>®</sup> <i>Zieria cytisoides</i> <i>Zieria pilosa</i> <i>Zieria smithii</i>	Native Fuchsia     Bomaderry Zieria Downy Zieria  Sandfly Zieria
Salicaceae	* <i>Salix babylonica</i>	Weeping Willow
Santalaceae	<i>Exocarpos cupressiformis</i> <i>Exocarpos strictus</i> <i>Leptomeria acida</i> <i>Santalum obtusifolium</i>	Native Cherry Dwarf Cherry Native Current Sandalwood
Sapindaceae	<i>Alectryon subcinereus</i>	Wild Quince

**Trigger Plant**

	<i>Dodonea triquetra</i> <i>Dodonea viscosa</i>	Long-leaved Hop Bush Giant HopBush		
Sapotaceae	<i>Planchonella australis</i>	Black Apple		
Solanaceae	* <i>Cestrum parqui</i> <i>Duboisia myoporoides</i> * <i>Lycium ferocissimum</i> * <i>Nicotiana glauca</i> * <i>Physalis peruviana</i> * <i>Solanum nigrum</i> * <i>Solanum americanum</i>	Corkwood African Boxthorn Tree Tobacco Cape Gooseberry Black Nightshade Glossy Nightshade		
Sterculiaceae	<i>Lasiopetalum ferrugineum</i> <i>Lasiopetalum parvifolium</i> <i>Rulingia hermanniifolia</i> <sup>u</sup> <i>Brachychiton acerifolius</i>	Velvet Bush  Illawarra Flame Tree		
Stylidiaceae	<i>Stylidium graminifolium</i>	Grass-leaved Trigger Plant	<i>Stylidium laricifolium</i>	Tree
Thymelaeaceae	<i>Pimelea linifolia</i>	Slender Rice Flower		
Tremandraceae	<i>Tetradlea thymifolia</i>	Black-eyed Susan		
Tropaeolaceae	* <i>Tropaeolum majus</i>	Nasturtium		
Ulmaceae	<i>Trema aspera</i>	Native Peach		
Urticaceae	<i>Dendrocnide excelsa</i> <i>Urtica incisa</i>	Giant Stinging Tree Stinging Nettle		

Verbenaceae	* <i>Lantana camara</i> * <i>Verbena bonariensis</i> * <i>Verbena brasiliensis</i>	Lantana Purple Top
Violaceae	<i>Hymenanchera dentata</i>	Tree Violet
Vitaceae	<i>Cayratia clematidea</i> <i>Cissus hypoglauca</i> <i>Cissus antartica</i>	Slender Grape Giant Water Vine Water Vine
Winteraceae	<i>Tasmania insipida</i>	Pepper Bush

**Subclass:**

**Liliidae**

**(Monocotyledons)**

	Agavaceae	* <i>Yucca aloifolia</i>	Dwarf Yucca
Alliaceae	* <i>Agapanthus orientalis</i>	Agapanthus	
Anthericaceae Ribbon Grass	<i>Caesia parviflora</i> <i>Thysanotus tuberosus</i> <i>Laxmannia gracilis</i>	Pale Grass-lily Common Fringed Lily	* <i>Chlorophytum comosum</i>
Aracea	* <i>Colocasia esculenta</i> <i>Gymnostachys anceps</i> * <i>Monstera deliciosa</i>	Taro Settlers Flax Fruit Salad Plant	
Arecaceae	<i>Livistona australis</i>	Cabbage Palm	
Asparagaceae	* <i>Protasparagus aethiopicus</i>	Asparagus Fern	

	<i>* Protasparagus virgatus</i>	
Asphodelaceae	<i>* Aloe saponaria</i>	Soap Aloe
Cannaceae	<i>* Canna indica</i>	Indian Shot
Centrolepiadaceae	<i>Centrolepis fascicularis</i>	
Colchicaceae	<i>Burchardia umbellata</i>	Milkmaids
Commelinaceae	<i>Commelina cyanea</i> <i>*Tradescantia albiflora</i> <i>*Tradescantia zebrina</i>	Wandering Sailor Wandering Jew or Trad
Cyperaceae	<i>Caustis flexuosa</i> <i>Chorizandra sphaerocephala</i> <i>Cyathochaeta diandra</i> <i>Cyperus difformis</i> <i>*Cyperus eragrostis</i> <i>Cyperus flavidus</i> <i>Ghania siebriana</i> <i>Lepidosperma elatius</i> <i>Lepidosperma laterale</i> <i>Lipocarpha microcephala</i> <i>Ptilothrix deusta</i> <i>Schoenus melanostachys</i>	Curly Sedge  Dirty Dora Umbrella Sedge  Sword Sedge  Sword Rush
Haemodoraceae	<i>Haemodorum corymbosum</i> <i>Haemodorum planifolium</i>	Bloodroot Bloodroot
Hyacinthaceae	<i>*Ornithogalum longbracteatum</i>	Pregnant Onion



Iridaceae	<i>*Aristea ecklonii</i>	
	<i>*Crocasmia x crocosmiiflora</i>	Montbretia
	<i>Patersonia sericea</i>	Native Iris
	<i>*Watsonia meriana</i>	Wild Watsonia
Juncaceae	<i>Juncus</i> sp.	
Lomandraceae	<i>Lomandra confertifolia</i>	
	subsp. <i>rubiginosa</i>	
	<i>Lomandra cylindrica</i>	
	<i>Lomandra filiformis</i>	Wattle Mat Rush
	<i>Lomandra glauca</i>	Pale Mat Rush
	<i>Lomandra longifolia</i>	Spiny-headed Mat Rush
	<i>Lomandra micrantha</i>	Small-flowered Mat Rush
	<i>Lomandra multiflora</i>	Many-flowered Mat Rush
	<i>Lomandra obliqua</i>	
Luzuriagaceae	<i>Eustrephus latifolius</i>	Wombat Berry
	<i>Geitonoplesium cymosum</i>	Scrambling Lilly
Orchidaceae	<i>Acianthus exertus</i>	Mosquito Orchid
	<i>Acianthus fornicatus</i>	Pixie Caps
	<i>Adelopetalum exiguum</i> <sup>a</sup>	Tiny Strand Orchid
	<i>Caleana major</i>	Large Duck Orchid
	<i>Calochilus paludosus</i>	Beardies
	<i>Cryptostylis erecta</i>	Tartan Tongue Orchid
	<i>Cryptostylis subulata</i>	Large Tongue Orchid
	<i>Cymbidium suave</i>	Snake Orchid
	<i>Dendrobium linguiforme</i>	Tongue Orchid
	<i>Dendrobium pugioniforme</i>	Dagger Orchid
<i>Dendrobium speciosum</i>	Rock Orchid	
<i>Dendrobium striolatum</i>	Streaked Orchid	

	<i>Dipodium punctatum</i>	Hyacinth Orchid
	<i>Dipodium variegatum</i>	Hyacinth Orchid
	<i>Diuris sulphurea</i>	Tiger Orchid
	* <i>Epidendrum radicans</i>	Crucifix Orchid
	<i>Eriochilus cucullatus</i>	Parson's Bands
	<i>Genoplesium baueri</i> <sup>#</sup>	Brittle Midge Orchid
	<i>Genoplesium fibriatum</i>	Fringed Midge Orchid
	<i>Genoplesium woollsii</i>	Midge Orchid
	<i>Liparis reflexa</i>	Yellow Rock Orchid
	<i>Orthoceras strictum</i>	Horned Orchid
	<i>Oxycephala shepherdii</i> <sup>z</sup>	Wheat-leaved Orchid
	<i>Plectorrhiza tridentata</i>	Tangle Orchid
	<i>Prasophyllum brevilabre</i>	Short-lipped Leek Orchid
	<i>Pterostylis nutans</i>	Nodding Greenhood
	<i>Pterostylis parviflora</i>	Tiny Greenhood
	<i>Sarcochilus</i> sp.	
	<i>Spiranthes sinensis</i> var <i>australis</i>	Ladies' Tresses
	<i>Thelymitra ixioides</i>	Spotted Sun Orchid
Phormiaceae	<i>Dianella caerulea</i>	Flax Lily
Poaceae	* <i>Andropogon virginicus</i>	Whisky Grass
	<i>Anisopogon avenaceus</i>	Oat Spear Grass
	<i>Aristida ramose</i>	Three-awned Spear Grass
	<i>Aristida vagans</i>	Three-awned Spear Grass
	* <i>Arundo donax</i>	Giant Reed
	* <i>Axonopus affinis</i>	Narrow-leaved Carpet Grass
	* <i>Bambusa</i> sp.	Bamboo
	* <i>Chloris gayana</i>	Rhodes Grass
	* <i>Cortaderia selloana</i>	<i>Pampas Grass</i>
	<i>Cymbopogon refractus</i>	Barb-wire Grass
	* <i>Cynodon dactylon</i>	Common Couch

	<i>Danthonia tenuior</i>	Wallaby Grass	
	<i>Dichelachne micrantha</i>	Short-hair Plume Grass	
	<i>Digitaria parviflora</i>	Small-flowered Finger Grass	
	<i>Echinopogon caespitosus</i>	Tufted Hedgehog Grass	
	<i>Entolasia marginata</i>	Spreading Panic	
	<i>Entolasia stricta</i>	Wiry Panic	
	<i>Eragrostis benthamii</i>	Bentham's Love Grass	
	<i>Eragrostis brownii</i>	Brown's Love Grass	
	<i>Imperata cylindrica var major</i>	Bladey Grass	
	* <i>Melinis repens</i>	Natal Red Grass	
	<i>Microlaena stipoides</i>		
	<i>Oplismenus aemulus</i>	Basket Grass	<i>Oplismenus imbecillis</i>
Pademelon Weeping Grass			
	* <i>Paspalum dilatatum</i>	Paspalum	
	* <i>Paspalum urvillei</i>	Vasey Grass	
	* <i>Pennisetum clandestinum</i>	Kykuyu Grass	
	* <i>Setaria gracilis</i>	Slender Pigeon Grass	
	* <i>Sporobolus africanus</i>	Parramatta Grass	
	* <i>Sporobolus fertilis</i>	Giant Parramatta Grass	
	* <i>Stenotaphrum secundatum</i>	Buffalo	
	<i>Stipa spp. 1 and 2</i>	Spear Grass	
	<i>Tetrarrhena juncea</i>	Wiry Rice Grass	
	<i>Themeda australis</i>	Kangaroo Grass	
Restionaceae	<i>Empodisma minus</i>		
	<i>Leptocarpus tenax</i>		
	<i>Lepyrodia scariosa</i>		
	<i>Lepyrodia anarthria</i>		
Ripogonaceae	<i>Ripogonum album</i>	White Supplejack	
Smilacaceae	<i>Smilax australis</i>	Sarsaparilla	

	<i>Smilax glyciophylla</i>	Thornless Sarsaparilla
Typhaceae	<i>Typha orientalis</i>	Broad-leaved Cumbungi
Uvulariaceae	<i>Schelhammera undulata</i>	
Xanthorrhoeaceae	<i>Xanthorrhoea resinifera</i>	Grass Tree
Xyridaceae	<i>Xyris juncea</i> <i>Xyris complanata</i>	
Zingiberaceae	* <i>Hedychium gardnerianum</i>	Ginger Lily

## BRYOPHYTES

### Mosses

*Hypnodendron vitiense*  
*Polytrichum juniperinum*  
*Racomitrium crispulum* var. *crispulum*

### Liverworts

## LICHENS

### Fruticose Lichens

*Cladia retipora*  
*Cladonia chlorophaea*

Coral Lichen

## FUNGI

### Agarics (fungi with gills)

*Aminita xanthocephala*  
*Paxillus infundibuliformis*

### Clavarias (coral fungi)

*Clavaria amoena*

**Polypores**

***Pycnoporus coccineus***

**SUMMARY**

**Vascular plants: 518 species in 142 families (129 weed species – 25%)**

**Mosses: 3 species**

**Liverworts:**

**Fungi: 4 species**

**Lichens: 2 species**

---

**Revised: July 2008**

---

\* **Introduced Species**

▣ **Botanically significant species**

# **Vulnerable Species (Threatened Species Conservation Act (1995))**

® **Endangered Species (Threatened Species Conservation Act (1995))**